

Collaborative Staging Codes**Vulva (incl. Skin of Vulva)**

[excl. Melanoma of Vulva, Kaposi Sarcoma of vulva, Mycosis Fungoides of vulva, Sezary Disease of vulva, and Other Lymphomas of vulva]

C51.0-C51.2, C51.8-C51.9

C51.0 Labium majus

C51.1 Labium minus

C51.2 Clitoris

C51.8 Overlapping lesion of vulva

C51.9 Vulva, NOS

Note: This schema is NOT used for Malignant Melanoma, Kaposi's Sarcoma, Mycosis Fungoides, Sezary Disease, or Other Lymphomas. Each of these diseases has a separate schema

Vulva (incl. Skin of Vulva)**CS Tumor Size****SEE STANDARD TABLE****Vulva (incl. Skin of Vulva)****CS Extension (Revised: 12/03/2003)**

Note 1: FIGO Stage 1, 1A and 1B are defined by size of tumor (less than or equal to 2 cm), involvement of vulva or vulva and perineum, and depth of stromal invasion as defined in codes 10, 11, 12, 30, 40, 41, and 42. FIGO Stage II is greater than 2 cm, but would be coded in the same range of codes.

Note 2: The depth of invasion is defined as the measurement of the tumor from the epithelial-stromal junction of the adjacent most superficial dermal papilla to the deepest point of invasion.

Code	Description	TNM	SS77	SS2000
00	In situ: Noninvasive; intraepithelial Bowen's disease, intraepidermal; preinvasive carcinoma FIGO Stage 0	Tis	IS	IS
10	Invasive cancer confined to: Musculature Submucosa Vulva including skin	*	L	L
11	Vulva only: Stromal invasion less than or equal to 1 mm	**	L	L
12	Vulva only: Stromal invasion greater than 1 mm	***	L	L
30	Localized, NOS	*	L	L
40	Vulva and perineum, level of invasion in mm not stated	*	RE	RE
41	Vulva and perineum, stromal invasion less than or equal to 1 mm	**	RE	RE

42	Vulva and perineum, stromal invasion greater than 1 mm	***	RE	RE
60	Anus Perianal skin Urethra (See code 75 for upper urethral mucosa) Vagina FIGO Stage III	T3	RE	RE
62	Bladder wall or bladder, NOS excluding mucosa Rectal wall or rectum, NOS excluding mucosa	T3	D	RE
70	Perineal body Rectal mucosa	T4	D	D
75	Bladder mucosa Fixed to pubic bone Upper urethral mucosa FIGO Stage IVA	T4	D	RE
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Vulva (incl. Skin of Vulva)**CS TS/Ext-Eval****SEE STANDARD TABLE****Vulva (incl. Skin of Vulva)****CS Lymph Nodes (Revised: 08/15/2006)**

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field
Mets at DX.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Unilateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral)	N1	RN	RN
10 cont'd	Regional lymph node(s), NOS (unilateral) FIGO Stage III	N1	RN	RN

50	Bilateral or contralateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph node(s), NOS (bilateral or contralateral) FIGO Stage IVA	N2	RN	RN
60	Regional lymph node(s), NOS (not stated if unilateral, bilateral or contralateral)	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Vulva (incl. Skin of Vulva)**Reg LN Pos****SEE STANDARD TABLE****Vulva (incl. Skin of Vulva)****Reg LN Exam****SEE STANDARD TABLE****Vulva (incl. Skin of Vulva)****CS Mets at DX (Revised: 05/06/2004)**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	D	D
11	Distant lymph node(s): External iliac	M1	RN	D
12	Distant lymph node(s): Internal iliac (hypogastric) Obturator Pelvic, NOS	M1	D	D
13	Distant lymph node(s) other than code 11 and 12, including common iliac	M1	D	D
40	Distant metastases other than distant lymph node(s) (codes 10 to 13)	M1	D	D

	Distant metastasis, NOS Carcinomatosis			
50	(40) + any of [(10) to (13)] Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Collaborative Staging Codes**Vagina****C52.9**

C52.9 Vagina, NOS

Vagina**CS Tumor Size****SEE STANDARD TABLE****Vagina****CS Extension (Revised: 08/21/2006)**

Note: According to AJCC, pelvic wall is defined as muscle, fascia, neurovascular structures, or skeletal portions of the bony pelvis

Code	Description	TNM	SS77	SS2000
00	In situ: Noninvasive; intraepithelial FIGO Stage 0	Tis	IS	IS
10	Invasive cancer confined to Submucosa (stroma) (vagina) FIGO Stage I	T1	L	L
20	Musculature involved	T1	L	L
30	Localized, NOS	T1	L	L
40	Cervix Paravaginal soft tissue Rectovaginal septum Vesicovaginal septum Vulva FIGO Stage II	T2	RE	RE
50	Cul de sac (rectouterine pouch) FIGO Stage II	T2	RE	RE
52	Extension to bladder wall or bladder, NOS excluding mucosa Rectal wall or rectum, NOS excluding mucosa	T3	D	RE
60	Extension to pelvic wall Described clinically as "frozen pelvis", NOS FIGO Stage III	T3	D	RE
70	Extension to bladder mucosa (excluding bullous edema) or rectal mucosa FIGO Stage IVA	T4	D	D

80	Extension beyond true pelvis Extension to urethra FIGO Stage IVA, not further specified	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Vagina**CS TS/Ext-Eval****SEE STANDARD TABLE**

NOTE: For this primary site code CS Tumor Size/Ext Eval on the basis of the CS Extension field only.

Vagina**CS Lymph Nodes (Revised: 08/15/2006)**

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	All parts of vagina, regional nodes: Pelvic lymph nodes: Iliac, NOS: Common External Internal (hypogastric) Obturator Middle sacral (promontorial) (Gerota's node)	N1	RN	RN
20	Lower third of vagina, regional nodes: Ipsilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	D	RN
30	Lower third of vagina, regional nodes: Bilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	D	RN
40	Upper two-thirds of vagina, regional nodes: Pelvic lymph node(s), NOS	N1	D	RN

50	Regional lymph node(s), unknown whether primary is in upper or lower vagina Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Vagina**Reg LN Pos****SEE STANDARD TABLE****Vagina****Reg LN Exam****SEE STANDARD TABLE****Vagina****CS Mets at DX (Revised: 05/06/2004)**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	D	D
11	Distant lymph node(s): Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Inguinal (for primary in upper two-thirds of vagina only) Retroperitoneal, NOS	M1	D	D
12	Distant lymph node(s) other than code 11	M1	D	D
40	Distant metastases except distant lymph node(s) (codes 10 to 12) FIGO Stage IVB Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(40) + any of [(10) to (12)] Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis; Not documented in patient record; Distant metastasis cannot be assessed	MX	U	U

Site Specific Surgery Codes**All Other Sites**

C142–C148, C170–C179, C239, C240–C249, C260–C269, C300–C301, C310–C319, C339, C379, C380–C388, C390–C399, C480–C488, **C510–C519, C529**, C570–C579, C589, C600–C609, C630–C639, C680–C689, C690–C699, C740–C749, C750–C759

(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10–14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy

Any combination of 20 or 26–27 WITH

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[**SEER Note:** Codes 21 to 24 above combine 20 local tumor excision, 26 Polypectomy or 27 Excisional biopsy with 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]

- 25 Laser excision

Specimen sent to pathology from surgical events 20–27

- 30 Simple/partial surgical removal of primary site
- 40 Total surgical removal of primary site; enucleation
 - 41 Total enucleation (for eye surgery only)
- 50 Surgery stated to be “debulking”

- 60 Radical surgery
 Partial or total removal of the primary site WITH a resection in continuity (partial or total removal) with other organs

[SEER Note: In continuity with or “en bloc” means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY